

Human Recombinant GITR Stable Cell Line
Cat. No. M00607

Version 04282015

I. INTRODUCTION

Catalog Number: M00607

Cell Line Name: GS-H2/GITR

Gene Synonyms: TNFRSF18, AITR, CD357, GITR, GITR-D

Expressed Gene: Codon Optimized from NM_004195.2

Host Cell: GS-H2

Quantity: Two vials of frozen cells (1×10^6 per vial)

Stability: 20 passages

Application: *in vitro* functional assay

Freeze Medium: 95% complete growth medium, 5% DMSO

Complete Growth Medium: MEM, 10% FBS

Culture Medium: MEM, 10% FBS, 2 $\mu\text{g/ml}$ Puromycin, 200 $\mu\text{g/ml}$ Hygromycin B

Mycoplasma Status: Negative

Functional Performance: For GITRL, Signal / Background (S/B) > 3

Storage: Liquid nitrogen immediately upon receipt

II. BACKGROUND

GITR (glucocorticoid-induced TNFR-related protein) was identified as a new member of the TNF receptor superfamily. GITR is currently of interest to immunologists as a co-stimulatory immune checkpoint molecule. This receptor has been shown to have increased expression upon T-cell activation, and it is thought to play a key role in dominant immunological self-tolerance maintained by CD25⁺/CD4⁺ regulatory T cells. The modulation of GITR is listed as one of the top 25 most promising research areas by the NCI, and has demonstrated potential in both antitumor and vaccine settings.

III. REPRESENTATIVE DATA

- Protein Expression Validation




Figure 1. Flow cytometry analysis of GITR protein expression in GS-H2/GITR cells. Red: GS-H2, Blue: GS-H2/GITR.

- Functional Validation by *in vitro* Assay




Figure 2. Functional evaluation of GS-H2/GITR cells by measuring GITRL induced IL-8 production.

IV. THAWING AND SUBCULTURING

Thawing Protocol

1. Remove the vial from liquid nitrogen tank and thaw cells quickly in a 37°C water-bath.
2. Just before the cells are completely thawed, decontaminate the outside of the vial with 70% ethanol and transfer the cells to a 15 ml centrifuge tube containing 9 ml of complete growth medium.
3. Pellet cells by centrifugation at 200 x g for 5 min, and remove the medium.
4. Resuspend the cells in complete growth medium.
5. Transfer the cell suspension to a 10 cm dish with 10 ml of complete growth medium.
6. Grow the cells in incubator with 37°C, 5 % CO₂.
7. Add antibiotic in the following day.

Sub-culturing Protocol

1. Centrifuge the cells at 200 x g for 5min, and remove the medium.
2. Resuspend the cells in culture medium and add the cells suspension to new culture dish.
3. Grow the cells in incubator with 37°C, 5 % CO₂.

Subcultivation Ratio: A subcultivation ratio of 1:4 to 1:8 is recommended

Medium Renewal: Every 2 to 3 days

V. REFERENCES

1. Gurney AL, Marsters SA, Huang RM, et al. (1999). "Identification of a new member of the tumor necrosis factor family and its receptor, a human ortholog of mouse GITR". *Curr. Biol.* 9 (4): 215–8.
2. Zhang Z, Henzel WJ (2005). "Signal peptide prediction based on analysis of experimentally verified cleavage sites". *Protein Sci.* 13 (10): 2819–24.
3. Schaer DA, Cohen AD, Wolchok JD. Anti-GITR antibodies--potential clinical applications for tumor immunotherapy. *Curr Opin Investig Drugs.* 2010 Dec;11(12):1378-86.

GenScript USA Inc,

860 Centennial Ave.

Piscataway, NJ 08854

Toll-Free: 1-877-436-7274

Tel: 1-732-885-9188, Fax: 1-732-210-0262

Email: product@genscript.com

Web: <http://www.genscript.com>

For Research Use Only.

860 Centennial Ave., Piscataway, NJ 08854, USA

Toll-Free: 1-877-436-7274 Tel: 1-732-885-9188 Fax: 1-732-210-0262 Email: product@genscript.com Web: www.genscript.com

Limited Use License Agreement

This is a legal agreement between you (Licensee) and GenScript USA Inc. governing use of GenScript's stable cell line products and protocols provided to licensee. By purchasing and using the stable cell line, the buyer agrees to comply with the following terms and conditions of this label license and recognizes and agrees to such restrictions:

- 1) The products are not transferable and will be used at the site where they were purchased. Transfer to another site owned by buyer will be permitted only upon written request by buyer followed by subsequent written approval by GenScript.
- 2) The purchaser cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party.
- 3) The products sold by GenScript are for laboratory and animal research purposes only. The products are not to be used on humans, for consumption, or for any unlawful uses.

GenScript USA Inc. will not assert against the buyer a claim of infringement of patents owned or controlled by GenScript USA Inc. and claiming this product based upon the manufacture, use or sale of a clinical diagnostic, therapeutic and vaccine, or prophylactic product developed in research by the buyer in which this product or its components has been employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on the use of this product for other purposes, contact Marketing Department, GenScript USA Inc., GenScript 860 Centennial Ave Piscataway, NJ 08854. Phone: 1-732-885-9188. Fax: 1-732-210-0262. Email: marketing@genscript.com.